



This website uses cookies to improve the user's experience during working with our network and to provide users with dedicated services and functions. By further use you agree with that.OKDetails

Address	VETRO TOOL S.A. Polígono Industrial de Caborana 33684 Aller - Asturias	
Country	Spain	

PRODUCTS OR MACHINERY

5 differents types of process:

- · Continuos flat glass tempering.
- Press bending and tempering of small curvature spherical glasses.
- Press bending and tempering of medium and great curvature spherical glasses.
- Continuous cylindrical glasses bending and tempering.
- Continuous doble curvature cylindrical glasses bending and tempering.

Changes between each kind of process and/or different models takes less than 5 minutes.

Loading and saving of model parameters on PC.

Short cadences:

- 2-5 seconds/piece of continuous side lite bending and tempering.
- 4-10 seconds/piece on press bending and tempering back lites.
- Very accurate and repetitive, obtaining and optimal tempering.

Specifications:

- Max dimensions: 1250 x 850 mm, for side lites and small back lites.
- Min thickness: 2,8 mm.

Company Profile of VETRO TOOL S.A.

A service of glassglobal.com, an affiliate of glassglobal group.

The address material you printed out is copyright and belongs to the Company or to its third party Marketing Agency, and all rights are reserved. Any User who accesses such material may do so only for its own personal use, and the use of such material is at the sole risk of the User. Redistribution or other commercial exploitation of such address material is expressly prohibited. Where such address material is provided by a third party, each User agrees to observe and be bound by the specific terms of use applying to such news material. Glass Global does not represent or endorse the accuracy or reliability of any of the info contained in any address or external websites referred to in this printout.www.glassglobal.com - The International Portal to the Glass Industry - OGIS GmbH